

# Mahila Mahavidyalaya, Godda, Jharkhand



## TENDER DOCUMENT

for

**Supply, Installation and Commissioning of  
Various Items under RUSA scheme**

*[Signature]*

Coordinator

Mahila Mahavidyalaya, Godda | 2024

*[Signature]*

Pro-In-Charge

Page 1 of 1  
Mahila Mahavidyalaya, Godda

This page is intentionally left as blank

*[Signature]*  
Coordinator  
RILS

*[Signature]*  
Pro-Charge  
Mahila Mahavidyalaya, Gonda

Mahila Mahavidyalaya, Gonda



## **Mahila Mahavidyalaya, Godda**

(A Permanent Affiliated Unit of S.K.M. University, Dumka)  
Near BSNL Office, Bhagalpur Road, Godda, Jharkhand, PIN- 814133

**Tender No: GMC/01/2024-25**

### **TENDER NOTICE**

Mahila Mahavidyalaya, Godda, Jharkhand invites tenders from the eligible and experienced bidders for the Supply, Install and Commissioning of Various Items under RUSA scheme in 2 separate envelopes. The tender document may be downloaded from the 'tenders' section of the college official website <https://mmgodda.ac.in>.

*Seslan*  
20.7.24  
Prof-in-Charge  
**Pro-In-Charge**

**Mahila Mahavidyalaya Godda**

*Seslan*  
Co-ordinator  
**RUSA**

## **Notice Inviting Tender**

### **Mahila Mahavidyalaya, Godda**

1.	Name of the office inviting Tenders	Prof-in-charge, Mahila Mahavidyalaya, Godda
2.	Name of Work	Supply, Install and Commissioning of Various Items under RUSA scheme
3.	Earnest Money Deposit (EMD)	Rs. 1,00,000/-
4.	Tender Cost (Non-Refundable)	Rs. 5000/-
5.	Date of issue of Tender Document	21/07/2024
6.	Last Date of Submission of Tender Paper	10/08/2024 till 1:00pm
7.	Date of Opening of Tender	10/08/2024 at 3:00pm
8.	Tender No.	GMC/01/2024-25
9.	Demand Draft (D.D.) to be made in favor of	Mahila Mahavidyalaya, Godda

**Note : Further Details can be seen/Downloaded from the website of the college/or from the office of the College :-**

*Sanjay*  
20-7-24  
(Prof-in-charge)  
Prof-in-Charge  
Mahila Mahavidyalaya Godda

*Sanjay*  
20-7-24  
Co-ordinator  
RUSA  
Mahila Mahavidyalaya, Godda / 2024

## Part-I

### ELIGIBILITY CRITERIA AND GENERAL TERMS & CONDITIONS FOR TENDERERS

1. The bids shall be submitted in **two separate envelopes** marked as **Technical Bid** and **Financial Bid** and put in third envelop. All envelopes should be addressed to The Professor-in-charge, Mahila Mahavidyalaya, Godda. The Tender number and date should be mentioned on the envelopes. Properly sealed tender should be submitted in the office of the undersigned either in person or by registered post on or before **10.08.2024 till 01.00 pm. Tender received after due date and time, whatever be the reason, will be rejected/not accepted.**
2. The technical bid must be submitted with the Tender Cost and Earnest Money Deposit (EMD) mentioned in the NIT. Failing to this, the bid will be summarily rejected.
3. The bidder should be a Proprietorship Firm/Partnership firm/Company. No consortium is allowed. Relevant declaration in the support of this statement must be submitted.
4. Only manufacturer(s) or their sole authorized distributor/ supplier are eligible to bid. Authorization letter from Original Equipment Manufacturer (OEM) in favor of authorized supplier to bid/ negotiate/conclude the order against this tender, must be enclosed with the bid.
5. The bidder shall append a certificate with the tender that the firm has not been debarred/ blacklisted for any reason/ period by any central/ state govt. dept./ University/ PSU etc. If so, of the same may be furnished. Concealment of facts shall not only lead to cancellation of the order but may warrant legal action.
6. PAN & GST registration certificates are to be submitted with the Technical bid.
7. The Bidder should be registered with GST for the last 3 years. The certified copies of GST Registration Certificate, with latest GST return copy are to be enclosed with the bid. (submit self-attested documents).
8. Bidder should have the registration in Government E-marketplace (GeM). A documentary evidence in this regard shall be submitted along with the bid.
9. Annual Average Turnover of the bidder should be **Rs. 4 Crores** and above in the last 3 Financial years and should have been audited by a chartered accountant (The Audited Balance Sheets mentioning their turnover shall be enclosed with a Covering letter of CA mentioning UDIN of the certificate).
10. The Income tax return for the last 3 years shall be enclosed.
11. The bidder Should have experience of similar nature of work in last three Years for at least 90% of items mentioned in the bid. The cost of individual order shall not less than to Rs. 70.00 Lakhs. (Attach Supply Order).
12. The Firm submitting Tender should have a minimum experience of three consecutive years of supply in College/University/Higher Educational institutions of Jharkhand. Following documents are permissible as documentary evidence of 3 years' experience:
  - a. Self-attested copies of work experience certificates issued from the concerned institutions; or
  - b. Self-attested copies of Work Orders and invoice raised against the same; or
  - c. Contract of GeM orders and their Consignee Receipt and Acceptance Certificate (CRAC).
13. The bidder should have their offices in Jharkhand to provide essential on-site service to the clients. If the bidder's office is not currently established in Jharkhand, an undertaking on the company's

letterhead shall be submitted along with the bid that if they will be awarded the work, necessary on-site service arrangement will be assured by the Authorised Service Centre/Person of the concerned Original Equipment Manufacturer (OEM). In this letter, the details of OEM wise Service Centre (Local Address proof, GST registration certificate of Jharkhand, procedure of complaint booking and escalation matrix of the complaint) shall be enclosed.

14. Offers should strictly be as per the technical specifications as mentioned in Part-III of RFP. No deviation shall be accepted; (Deviations are likely to render the tender non-considerable. Bidders are advised not to deviate).
15. Price must be quoted Freight on Road (F.O.R.) to Mahila Mahavidyalaya, Godda and inclusive of all charges/taxes. Any tax will not be added after the submission of financial bid.
16. Bidders to quote the single price for each items of the Bid as per the Financial Bid format of the document. Bids submitted with the Price for selective items only will be considered for rejection. No alternative price for any of the item will be entertained.
17. After the award of work, the supplier shall be required to submit the performance security in the form of irrevocable bank guarantee in the prescribed format (Annexure-B) issued by any Scheduled Commercial Bank, for an amount equal to the 2% of order value. The performance security will be refunded after the expiry of warranty period of items without any bank interest. The validity will be counted for a period of 60 days beyond the date of completion of warranty period. Warranty Period will be commenced from the date of the installation of the supplied item. Hence, be careful at the time of calculation of the validity date of Performance Bank Guarantee.
18. 98% payment against delivery and satisfactory installation, and balance 2% after the submission of Performance security. It is must to submit the Performance Security within 15 days after the delivery of the ordered material otherwise the remaining 2% payment (equal to the amount of Performance Security) will be forfeited, due to noncompliance of tender Terms & Conditions.
19. **Payment shall be made after quality and quantity of items supplied is verified and certified by a competent team constituted by the college.** All the payments of the supplied items will be made through PFMS after the deduction of income and other admissible taxes.
20. Price must be quoted in Indian rupees inclusive of all taxes and typed in both word and figure. Typing errors or cutting must be countersigned by due initial with date. Non-compliance or overwriting will lead to rejection of quotation.
21. Prices quoted in the bid must be valid up to 180 days from date of submission of quotation.
22. **The technical bids shall be opened on 10.08.24 at 03.00 PM in the office of undersigned. The Financial Bids of those Bidders will be opened whose technical bids meet all the required Technical specifications certified by the technical team. Work order will be given to the bidder whose total quoted price is found the lowest i.e. to L1.**
23. Quantity of the items will be finalized by the College as per the availability of fund.
24. Supply is to be provided within 30 days from date of issue of order.
25. All the interested bidders are required to see Notice Board/ Website of the college for any further change/corrigendum and proper understanding of the requirement.
26. In case of any confusion in the interpretation of any word/sentence, the decision of the tendering authority will be final.
27. The contract shall be governed by the laws and procedures established by Govt. of India, within the frame work of applicable legislation and enactment made from time to time concerning such Commercial dealings/processing. Any disputes are subject to exclusive jurisdiction of Competent Court and Forum in Ranchi, Jharkhand, India only. The Arbitration shall be held in accordance

with the provisions of the Arbitration and Conciliation Act, 1996 and the venue of arbitration shall be at Ranchi, Jharkhand. The decision of the Arbitrator shall be final and binding on both the parties.

28. The college reserves the right to cancel the tender process or accept or reject any tender without assigning any reason.
29. Technical Catalogue of quoted product to be attached with the technical bid and same should be available on OEM website. Non-compliance shall result in rejection of tender.
30. Bidder will provide instruction manual of all equipment mentioning list of functions & features as per technical specifications on or before bid submission date. Non-compliance shall result in rejection of tender.
31. After Successful delivery and commissioning of supplied items, the bidder have to demonstrate the feature and functions of each items and as and when requested provide essential training to the staffs of the college.
32. The bidder/firms should have electrical license issued by Energy Department, ISO 9001:2015 and ISO 14001:2015 certificates.
33. The college should have all the right to reject/select lowest bidders if major variations are found in make/rates of the items quoted. The college reserves the right to cancel the tender process or accept or reject any tender without assigning any reason or relax any condition at any stage of tender process.

  
Pro-ordinator

Mahila Mahavidyalaya, Godda | 2024

Mahila Mahavidyalaya, Godda

  
20/7/24  
Pro-In-Charge

Mahila Mahavidyalaya, Godda

Page 7 of 22

## Part II

### Essential Details of Items required

1. Bidders are required to furnish clause wise compliance of specifications of **each item** as mentioned in the Part-III of RFP to bringing out clearly the deviations from specification, if any. The Bidders shall submit the compliance statement in the following format along with Technical Bid :-

SN.	Para of Tender specifications item wise	Specification of item offered	Compliance to tender specification- whether Yes/No	In case of non-compliance, deviation from Tender to be specified in unambiguous terms
Name of the Item:.....				
1.				
2.				
3.				

  
Co-ordinator  
Mahila Mahavidyalaya, Godda, 2024  
RUSA

  
Pro-In-Charge  
Mahila Mahavidyalaya Godda

### Part-III

## Technical Specifications of required items

SN	Technical Specifications	Qty.
1	<b>All in One PC</b>	<b>4</b>
	Processor Make	Intel core i5 with B560 chipset
	Processor Generation	11
	Number of Cores per Processor	6
	Processor Base Frequency (GHz)	2.6 GHz or higher
	Processor Description	Intel Core i5 or higher
	Processor Number	Intel Core i5 12500 or higher
	Graphics Type	Integrated
	Operating System (Factory Pre-Loaded)	Windows 11 Professional or higher
	RAM Size (GB)	8
	RAM Expandability up to(using spare DIMM Slots in GB)	64
	Type of Drives used to populate the Internal Bays	HDD
	Total HDD Capacity (GB)	512GB SSD or Higher
	Monitor Technology	IPS
	LED Backlit Monitor Size (INCHES)	23.8"
	Monitor Resolution (PIXELS)	1920x1080
	Availability of Webcam integrated with Monitor	No
	Availability of Speakers integrated with Monitor	Yes
	Mouse Connectivity	Wired
	Keyboard Connectivity	Wired
	On Site OEM Warranty (Year)	3
	Power Supply	Minimum 120 Watt with 85% - 94% efficiency
	Keyboard & Mouse	Same brand & colour of CPU (etched/ embossed/ printed, no stickers) USB Keyboard with Rupee Symbol & at least 104 keys with Caps Lock, Num Lock and Scroll Lock indicators. Should be CE and FCC compliant. Same brand (etched/Embossed/ printed, no stickers) Optical USB scroll Mouse. Should be CE, and FCC compliant
	WiFi and Bluetooth	Yes
	Optical Drive	NA
	USB	8nos 4+4
	Ports	DP/VGA, HDMI Port, RJ-45, M.2
	Pre-Installed Software	MS Office 2021 Standard
Warranty	3 years comprehensive on-site	
<b>Additional Terms and conditions for Desktop</b>		
(i) Certification for Desktop: FCC, UL, CE, Energy Star 8.0, ROHS, EPEAT India/BEE/TCO Certificate.		
(ii) Certification for Monitor: Energy Star 8.0, TCO 9.0		
(iii) Microsoft Windows and Ubuntu Linux 22.04 LTS. Certification must available in the public domain against the quoted Desktop model name (not for the quoted Desktop model series) Manufacturer Criteria (OEM): OEM Must Have valid ISO 90001,140001/27001 certification for India Factory. Minimum 10 Years presence in India. Service request would be placed directly with the Desktop OEM for the duration of warranty.		
(iv) OEM Toll free service phone no, Email ID and chat option must require along with the bid offering.		
(v) Operating System (Factory Pre-Loaded): Factory Pre-loaded / Pre-install Windows 11 Operating System. Desktop must support both Windows and Ubuntu Linux. OEM letter confirming that Operating system is pre-loaded / pre-installed from OEM factory and is genuine.		
2	<b>Bench Desk</b> Bench Frame made up of 1x1 16gauge heavy pipe and Pre-Laminated 18mm MDF board with 1mm edge bind on all the open side of the board Seat size 72" x 12", back Height 72" x 8", top size 72" x 14", Front panel 72" x 8", Book Shelf 72" x 10", height of seat from ground 17", Height of writing Top 30".	<b>232</b>

SN	Technical Specifications	Qty.
3	<p><b>Revolving Chair</b></p> <p>High Back Chair, High back 360°degree revolving chair all over size is: 590mm(l)x 505mm(d)x 1280mm(h), the chair made of full leatherette in black colour, matte black finish in contemporary style with following details:</p> <ul style="list-style-type: none"> <li>Arms: chrome finish arms with up padding</li> <li>Use of ply: 12 mm thick hot pressed BWR plywood (is grade - 303 for seat and back)</li> <li>Seat: 40 ± 2 mm thick polyurethane foam with density 32 (±3) kg per cu meter for best quality cushioning in seat</li> <li>Back: 40 ± 2 mm thick polyurethane foam with density 32 (±3) kg per cu meter for best quality cushioning in back</li> <li>Backrest support foam design based on symmetrical lumbar support</li> <li>Mechanism: knee tilt mechanism</li> <li>Only seat size is 505mm(l)x 505mm(d)x 610mm(h) &amp; the back size is 590mm(l)x 710mm(h) seat maximum height is 610mm &amp; minimum height is 510mm &amp; back height from floor maximum height is 1280mm &amp; minimum height is 1180mm gas lift 100 mm telescopic hydraulic</li> <li>Base: 650 mm chrome base with smooth castors</li> </ul> <p>The product must be from a Manufacturer having ISO 9001, ISO 14001, AIOTA, BIFMA COMPLIANT, GREENGUARD, SEDEX CERTIFICATE. WARRANTY-5 YEARS.</p>	01
	<p><b>Meeting Hall Chair</b></p> <p>Supplying, and placing in position of Medium Back Chair, Medium back 360°degree, revolving chair, all over size is: 600mm(l)x 660mm(d)x 1050mm(h), made of full upholstery in black colour finish in contemporary style with following details:</p> <ul style="list-style-type: none"> <li>Arms: armrest is having two adjustment heights (up &amp; down)</li> <li>Use of ply: 12 mm thick hot pressed BWR plywood (is grade - 303 for seat and back)</li> <li>Seat: 40 ± 2 mm thick polyurethane foam with density 32 (±3) kg per cu meter for best quality cushioning in seat</li> <li>Back: 40 ± 2 mm thick polyurethane foam with density 32 (±3) kg per cu meter for best quality cushioning in back</li> <li>Backrest support foam design based on symmetrical lumbar support</li> <li>Mechanism: self-weighted multi locking mechanism</li> <li>only seat size is 480mm(l) x 500mm(d) &amp; the back size is 460mm(l)x 510mm(h), Seat maximum height is 550mm &amp; minimum height is 450mm &amp; back height from floor maximum height is 1050mm &amp; minimum height is 950mm, gas lift 100 mm telescopic hydraulic,</li> <li>Base: 650 mm chrome base with smooth castors</li> </ul> <p>The product must be from a Manufacturer having ISO 9001, ISO 14001, AIOTA, BIFMA COMPLIANT, GREENGUARD, SEDEX CERTIFICATE. WARRANTY-5 YEARS.</p>	
5	<p><b>Office Table</b></p> <p>Desk structure of rectangular shape. primary work surface overall size 1200mm(l)x 600mm(d)x 750mm(h) 18mm thick, Table top made of 18mm thick pre-laminated particle board work surface with the exposed edges shall be finished with 2mm thick edge binding tape of matching colour and shade with the hot melt glue. Modesty Panel made of 18mm thick. Understructure made of 18mm thick. Construction below table top right side on 1 Drawer with lock right &amp; left side table top based on a 18mm thick side panel, 1 drawer in provided with lock for security and handles are provided for easy of Opening. Overall construction of pedestal is 18mm along with facia of drawers. 3 layer pre-laminated particles board (wood product) of grade ii type iii of is 12823.</p> <p>The product must be from a Manufacturer having ISO 9001, ISO 14001, AIOTA, BIFMA COMPLIANT, GREENGUARD, SEDEX CERTIFICATE. WARRANTY-5 YEARS.</p>	10
	<p><b>Reading Table</b></p> <p>MATERIAL: Tabletop Material Pre-laminated particle board (Wood Product) Thickness of table top material (± 1 mm) 18 mm Gable end material Pre-laminated particles board (wood product), DIMENSION Width of tabletop ±10 mm 1200 mm, Depth of table ±10 mm 620 mm, Height of table ±10 mm 800 mm</p> <p>The product must be from a Manufacturer having ISO 9001, ISO 14001, AIOTA, BIFMA COMPLIANT, GREENGUARD, SEDEX CERTIFICATE. WARRANTY-5 YEARS.</p>	
7	<p><b>Chairs</b></p> <p>All over size is 595mm(l)x 510mm(d)x 875mm(h), the chair made of full leatherette in black colour comes in matte finish in contemporary style with following details</p> <ul style="list-style-type: none"> <li>Arms: padded armrest.</li> </ul>	60

SN	Technical Specifications	Qty.
	<ul style="list-style-type: none"> <li>Use of ply: 12 mm thick hot pressed BWR plywood (is grade - 303 for seat and back).</li> <li>Seat: 40 ± 2 mm thick polyurethane foam with density 32 (±3) kg per cu meter for best quality cushioning in seat,</li> <li>Back: 40 ± 2 mm thick polyurethane foam with density 32 (±3) kg per cu meter for best quality cushioning in back</li> <li>Backrest support foam design based on symmetrical lumbar support</li> <li>Only seat size is 500mm(l)x 510mm(d)x 455 mm(h) &amp; the back size is 440mm(l)x 595mm(h), back height is @ 440mm.</li> <li>Base: 4 legs metal powder coated</li> </ul> <p>The product must be from a Manufacturer having ISO 9001, ISO 14001, AIOTA, BIFMA COMPLIANT, GREENGUARD, SEDEX CERTIFICATE. WARRANTY-5 YEARS.</p>	
8	<p><b>Steel Almirah</b></p> <p>Metal storage of size 900mm(l)x 450mm(d)x 1980mm(h), body made out in 22 gauge (0.8mm) &amp; door 19 gauge (1mm) CRCA sheet. 4 adjustable shelves in 22 gauge (0.8mm) &amp; pedestal 18 gauge 1.2 mm CRCA sheet having four shelves making five compartment, uniformly distributed load capacity of each shelf shall be 60 kg maximum, fitted with MS body lock &amp; handle. Finishing with epoxy polyester powder coated to the thickness 50-60 microns(+/-5micron) in color grey-light grey.</p> <p>The product must be from a Manufacturer having ISO 9001, ISO 14001, AIOTA, BIFMA COMPLIANT, GREENGUARD, SEDEX CERTIFICATE. WARRANTY-5 YEARS.</p>	20
9	<p><b>Reading Table</b></p> <p>SIZE: 900mm(L) x 600mm(W) x 1050mm(H), 25mm thick. Prelaminated Particle board tabletop with PVC edge banding. Tabletop supported 18mm thick Prelaminated Particle board Side and Modesty panel of 1050mm height with PVC edge banding.</p> <p>The product must be from a Manufacturer having ISO 9001, ISO 14001, AIOTA, BIFMA COMPLIANT, GREENGUARD, SEDEX CERTIFICATE. WARRANTY-5 YEARS.</p>	06
10	<p><b>Meeting/Conference Table</b></p> <p>Extendable part size -1600x1200x750mm, table top made out of 25mm thick in prelaminate particle board. Top based on center panel shall be made out of 18mm thick prelaminate particle board and below the extendable part top modesty panel shall be made 18mm thick prelaminate particle board. Furniture is finished with exposed edges shall be finished with 2mm thick edge binding tape of matching colour and shade, fixed with hot melt glue, three layer prelaminate particle board (wood product) of grade ii type iii of is 12823/latest.</p> <p>The product must be from a Manufacturer having ISO 9001, ISO 14001, AIOTA, BIFMA COMPLIANT, GREENGUARD, SEDEX CERTIFICATE. WARRANTY-5 YEARS.</p>	02
11	<p><b>Book Shelf</b></p> <p>Size 838mm(l)x 305mm(d)x 1676mm(h) steel bookcase having 4 doors and three-way bolting device Controlled by lock. Type of lock: three way, Bolting device controlled by lock, thickness of MS Sheet used for shutter: 0.7 mm, thickness of MS Sheet used for shelf: 0.7 mm, thickness of MS sheet used for top, bottom, back and sides: 0.7 mm, material of handle: cast brass, thickness of transparent glassing shutters: 4.0 mm, the complete steel structure shall be constructed by welding and provide finishing with epoxy polyester powder coated to the thickness 60-80 micron in color grey-light grey.</p> <p>The product must be from a Manufacturer having ISO 9001, ISO 14001, AIOTA, BIFMA COMPLIANT, GREENGUARD, SEDEX CERTIFICATE. WARRANTY-5 YEARS.</p>	04
<p><b>Additional Terms &amp; Conditions for Furniture Items (S. No. 02 to 11)</b></p> <p>(i) The Seller / Company / Bidder should be ISO 9001:2015, 14001:2015, ISO 45001:2018 to verify/Authenticate accredited certifications and the validity status of this certificate refer to the online global database: <a href="https://www.iafcertsearch.org">https://www.iafcertsearch.org</a>. Green Pro, AIOTA Certified. The Bidder should also be a member of BIFMA and should possess BIFMA Compliance / BIFMA Level 2 &amp; Level-3 certification as well as "One or more products of the OEM should be Uploaded on the BIFMA website and an official product official link/screenshot of the product listing must be provided from "www.bifma.org" Copies of all the above Certificates are to be enclosed with the Technical Bid.</p> <p>(ii) The Manufacturing Company should have at least one self-operated Showroom/Display Center in State.</p> <p>(iii) Dedicated /toll Free Telephone No. for Service Support: OEM must have dedicated/toll Free Telephone No. for Service Support.</p> <p>(iv) Escalation Matrix for Service Support: Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.</p>		

SN	Technical Specifications	Qty.																		
	(v) The bidder should be the original equipment manufacturers (OEM) or their authorized dealers. (vi) The OEM/ authorized dealer supplying the furniture must strictly adhere to the specifications mentioned in the tender. No deviation from the specifications will be entertained. (vii) The OEM Should submit NABL test Certificate, Environmental Product Declaration, SEFA, Indoor Air Quality Test Certificates. (viii) The OEM should submit financial statement with net profit as well as bidder duly audited/ certified by C.A. for the last three financial years. 10. Only manufacturer(s) or their sole authorized distributor/ supplier are eligible to bid. Authorization letter from Original Equipment Manufacturer (OEM) in favor of authorized supplier to bid/ negotiate/conclude the order against this tender must be enclosed with the bid.																			
12	<b>Smart Podium</b> Type of frame- Metallic, supplied with a 460mm (18") detachable gooseneck condenser microphone and reading light, for the podium top. Contains a built-in Dual Channel VHF wireless receiver and two nos. of VHF wireless handheld transmitters of different frequency. Fitted with 3 nos. of 6.5" (165mm) coated dual cone speakers. Provision given for connecting external speaker, through an INT./EXT. speaker switch. Combo socket for connecting a wired microphone through a 6.3mm (1/4") phone plug or a line source through an XLR male plug. Facility for connecting an auxiliary source through a 6.3mm (1/4") phone plug.	02																		
13	<b>Air Conditioner</b> <table border="1" data-bbox="184 695 1069 1060"> <tr> <td>Nominal Marketing capacity as per BEE Star Rating Label</td> <td>1.5 Ton, 5Star rating</td> </tr> <tr> <td>Technology of air conditioner</td> <td>Inverter AC - Variable Speed</td> </tr> <tr> <td>ISEER (Wh/Wh) values for compliance of Green AC</td> <td>Not applicable for Non Green AC</td> </tr> <tr> <td>Rated voltage (in Volts)</td> <td>230 V, 1 Phase, 50 Hz, AC</td> </tr> <tr> <td>Unit Mounting Arrangement</td> <td>Indoor Unit - Wall Mount type</td> </tr> <tr> <td>Availability of BIS/ISI Mark certification</td> <td>Yes</td> </tr> <tr> <td>Air Conditioner Compliance</td> <td>AC with Stabilizer and SITC</td> </tr> <tr> <td>BEE Star rating of the product (in Nos)</td> <td>5</td> </tr> <tr> <td>Classification by function</td> <td>Cooling only (Cooling and dehumidification during cooling mode)</td> </tr> </table>	Nominal Marketing capacity as per BEE Star Rating Label	1.5 Ton, 5Star rating	Technology of air conditioner	Inverter AC - Variable Speed	ISEER (Wh/Wh) values for compliance of Green AC	Not applicable for Non Green AC	Rated voltage (in Volts)	230 V, 1 Phase, 50 Hz, AC	Unit Mounting Arrangement	Indoor Unit - Wall Mount type	Availability of BIS/ISI Mark certification	Yes	Air Conditioner Compliance	AC with Stabilizer and SITC	BEE Star rating of the product (in Nos)	5	Classification by function	Cooling only (Cooling and dehumidification during cooling mode)	05
Nominal Marketing capacity as per BEE Star Rating Label	1.5 Ton, 5Star rating																			
Technology of air conditioner	Inverter AC - Variable Speed																			
ISEER (Wh/Wh) values for compliance of Green AC	Not applicable for Non Green AC																			
Rated voltage (in Volts)	230 V, 1 Phase, 50 Hz, AC																			
Unit Mounting Arrangement	Indoor Unit - Wall Mount type																			
Availability of BIS/ISI Mark certification	Yes																			
Air Conditioner Compliance	AC with Stabilizer and SITC																			
BEE Star rating of the product (in Nos)	5																			
Classification by function	Cooling only (Cooling and dehumidification during cooling mode)																			
14	<b>Smart Board</b> <table border="1" data-bbox="184 1108 1069 1801"> <tr> <td data-bbox="184 1108 441 1619" rowspan="4"><b>DISPLAY SYSTEM</b></td> <td data-bbox="441 1108 1069 1335"> <b>(a) Display Size , Surface &amp; Technology</b> <ul style="list-style-type: none"> <li>Min. 75 inch (Diagonal)</li> <li>Hardened surface with Anti Scratch &amp; Anti Glare Surface</li> <li>LED with min. 60 Hz refresh rate</li> <li>Resolution: 3840 x 2160 (Min.) (for Landscape)</li> <li>Aspect Ratio: 16:9</li> <li>Viewing Angle Range (Min.) : 176° (Horizontal) to 176° (Vertical)</li> </ul> </td> </tr> <tr> <td data-bbox="441 1335 1069 1478"> <b>(b) Operating Specs:</b> <ul style="list-style-type: none"> <li>Power Supply : 240 V ; 50 Hz</li> <li>Operating temp : 0° C to 50° C</li> <li>Operating Humidity: 10% to 80%</li> <li>Wall Mountable</li> </ul> </td> </tr> <tr> <td data-bbox="441 1478 1069 1556"> <b>(c) Audio</b> <ul style="list-style-type: none"> <li>Inbuilt speakers (10 W x 2) (10 W – Minimum for each speaker)</li> </ul> </td> </tr> <tr> <td data-bbox="441 1556 1069 1619"> <b>(d) Remote</b> <ul style="list-style-type: none"> <li>Remote Controller (Full functional; remote with batteries)</li> </ul> </td> </tr> <tr> <td data-bbox="184 1619 441 1801"><b>TOUCH SYSTEM</b></td> <td data-bbox="441 1619 1069 1801">           (a) Type: Infra-Red based            (b) Inputs for Touch: Finger, Gloved Fingers, Opaque Objects / Touch Pens            (c) No. of touch pens (with suitable tray/pen holder): Qty 2            (d) Touch Scan Rate: 50 Scans / sec (Min.)            (e) Touch Points: Multi touch (Min. 10 Touch Points)            (f) (Response Time: less than 15 msec)         </td> </tr> </table>	<b>DISPLAY SYSTEM</b>	<b>(a) Display Size , Surface &amp; Technology</b> <ul style="list-style-type: none"> <li>Min. 75 inch (Diagonal)</li> <li>Hardened surface with Anti Scratch &amp; Anti Glare Surface</li> <li>LED with min. 60 Hz refresh rate</li> <li>Resolution: 3840 x 2160 (Min.) (for Landscape)</li> <li>Aspect Ratio: 16:9</li> <li>Viewing Angle Range (Min.) : 176° (Horizontal) to 176° (Vertical)</li> </ul>	<b>(b) Operating Specs:</b> <ul style="list-style-type: none"> <li>Power Supply : 240 V ; 50 Hz</li> <li>Operating temp : 0° C to 50° C</li> <li>Operating Humidity: 10% to 80%</li> <li>Wall Mountable</li> </ul>	<b>(c) Audio</b> <ul style="list-style-type: none"> <li>Inbuilt speakers (10 W x 2) (10 W – Minimum for each speaker)</li> </ul>	<b>(d) Remote</b> <ul style="list-style-type: none"> <li>Remote Controller (Full functional; remote with batteries)</li> </ul>	<b>TOUCH SYSTEM</b>	(a) Type: Infra-Red based (b) Inputs for Touch: Finger, Gloved Fingers, Opaque Objects / Touch Pens (c) No. of touch pens (with suitable tray/pen holder): Qty 2 (d) Touch Scan Rate: 50 Scans / sec (Min.) (e) Touch Points: Multi touch (Min. 10 Touch Points) (f) (Response Time: less than 15 msec)	04											
<b>DISPLAY SYSTEM</b>	<b>(a) Display Size , Surface &amp; Technology</b> <ul style="list-style-type: none"> <li>Min. 75 inch (Diagonal)</li> <li>Hardened surface with Anti Scratch &amp; Anti Glare Surface</li> <li>LED with min. 60 Hz refresh rate</li> <li>Resolution: 3840 x 2160 (Min.) (for Landscape)</li> <li>Aspect Ratio: 16:9</li> <li>Viewing Angle Range (Min.) : 176° (Horizontal) to 176° (Vertical)</li> </ul>																			
	<b>(b) Operating Specs:</b> <ul style="list-style-type: none"> <li>Power Supply : 240 V ; 50 Hz</li> <li>Operating temp : 0° C to 50° C</li> <li>Operating Humidity: 10% to 80%</li> <li>Wall Mountable</li> </ul>																			
	<b>(c) Audio</b> <ul style="list-style-type: none"> <li>Inbuilt speakers (10 W x 2) (10 W – Minimum for each speaker)</li> </ul>																			
	<b>(d) Remote</b> <ul style="list-style-type: none"> <li>Remote Controller (Full functional; remote with batteries)</li> </ul>																			
<b>TOUCH SYSTEM</b>	(a) Type: Infra-Red based (b) Inputs for Touch: Finger, Gloved Fingers, Opaque Objects / Touch Pens (c) No. of touch pens (with suitable tray/pen holder): Qty 2 (d) Touch Scan Rate: 50 Scans / sec (Min.) (e) Touch Points: Multi touch (Min. 10 Touch Points) (f) (Response Time: less than 15 msec)																			

  
 Co-ordinator  
 RUSA  
 Mahila Maha

  
 Prop. in Charge  
 Mahila Mahavidyalaya Godda

SN	Technical Specifications		Qty.										
	<b>I/O SYSTEM</b>	(g) Touch accuracy: $\pm 2$ mm (Over 90% Area) (a) HDMI (ver. 2.0) - Min.2 ports (b) RJ 45 – Min 1 Port (with 5 m Patch Cable) (c) Wi-Fi (802.11 b/g/n/ac) with Hotspot feature (d) HDMI output (with cable to connect external monitor/ device) (e) USB (2.0) – Min. 2 Ports + USB (3.0) – Min. 1 Port											
	<b>EMBEDDED SYSTEM &amp; SOFTWARE</b>	<p><b>(a) Hardware:</b></p> <ul style="list-style-type: none"> <li>(Min) Quad Processor based SoC (Processor = 1.7 GHz or Higher)</li> <li>Main Memory: 4 GB or Higher</li> <li>Internal Storage: 32 GB or Higher</li> <li>Slot for Open Pluggable System (OPS)/ mini PC</li> </ul> <p><b>(b) Operating System:</b></p> <ul style="list-style-type: none"> <li>Android / Linux / Open Source based O.S. (Latest Version)</li> </ul> <p><b>(c) Software Apps (Pre-loaded)</b></p> <ul style="list-style-type: none"> <li>Content Management Systems &amp; Apps to support Writing, Drawing, Eraser, Screen Capture, Video Player, Recording, File &amp; Folder Manager, Storage Management, Print, Email, etc.</li> <li>Web browser</li> <li>Screen Sharing (Mira Cast) / (Google Cast)</li> <li>Factory Resetting</li> <li>Security features – Pin based and / or Password based.</li> <li>Over the Air update of Apps &amp; O.S.</li> <li>Appropriate App Store (Repository) of Google Play Services (GPS)/ equivalent Apps for viewing / display of PDF &amp; Window format files.</li> </ul>											
	<b>CERTIFICATIONS</b>	BIS (Indian), CE, FCC, RoHS, E-Waste Management, NABL accredited Test Lab Reports											
	<b>WARRANTY</b>	5 years comprehensive on-site warranty											
	<b>Additional Terms &amp; Conditions for Interactive Digital Board</b>												
	<p>(i) The OEM should have Authorized Representative to be available in Jharkhand for immediate technical support.</p> <p>(ii) he OEM Must have valid STQC/ERTL/BIS/ISO- 9001:2015, ISO 27001:2013 and ISO 14001:2015 Certified Company. (Related certificate copy required).</p> <p>(iii) OEMs with a manufacturing unit in India possessing a valid and latest factory license.</p> <p>(iv) All hardware equipment &amp; Software should be from same OEM, for seamless integration.</p> <p>(v) Manufacturer authorization: Wherever Authorised Distributors / Dealers are submitting the bid, Manufacturers Authorisation Form (MAF)/Certificate with OEM details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the tender/ IP and Source code of IFP whiteboard software &amp; platform, software must be developed in India subject to audit.</p> <p>(vi) Datasheet of the product(s) offered in the bid, are to be uploaded along with the bid documents. Buyers can match and verify the Data Sheet with the product specifications offered. In case of any unexplained mismatch of technical parameters, the bid is liable for rejection.</p> <p>(vii) Dedicated/ toll free Telephone No. for service support, Escalation Matrix for Service support.</p> <p>(viii) OEM should have at least implemented of minimum 200 Smart Classrooms/Virtual Training Rooms of interactive display &amp; camera in a single order to be supplied during last 3 financial years or more in any State Govt./ PSU. PO Copy or Appreciation letter required from it.</p> <p>(ix) On Premise Presentation &amp; POC Needs to be done for the proposed solution before opening of the Financial Bid. Financial Bids of only technically Qualified OEMs will be Opened.</p>												
	<b>All in One Laser Printer</b>		<b>06</b>										
15	<b>PRINT</b>	<table border="1"> <tr> <td>Printing Method</td> <td>Monochrome Laser</td> </tr> <tr> <td>Simplex Printing Speed</td> <td>40 ppm or more</td> </tr> <tr> <td>Print Resolution</td> <td>1200 X 1200 dpi</td> </tr> <tr> <td>First Printout Time</td> <td>10 seconds or less</td> </tr> <tr> <td>Auto Duplex Print</td> <td>Standard</td> </tr> </table>	Printing Method	Monochrome Laser	Simplex Printing Speed	40 ppm or more	Print Resolution	1200 X 1200 dpi	First Printout Time	10 seconds or less	Auto Duplex Print	Standard	
Printing Method	Monochrome Laser												
Simplex Printing Speed	40 ppm or more												
Print Resolution	1200 X 1200 dpi												
First Printout Time	10 seconds or less												
Auto Duplex Print	Standard												

SN	Technical Specifications		Qty.	
16		Available Paper Size for Auto Duplex Print	Plain Paper, Heavy Paper, Transparency, Label, Index Card, Envelope	
		Bypass Facility	Yes	
	PAPER HANDLING	Duplex Auto Document Feeder(DADF)	50 sheets	
		Available Paper Size for DADF	A4, B5, A5, B6, Letter, Legal	
		Paper Input(Standard)	250 sheets (Plain Paper), 1 Sheet Multipurpose Tray	
		Paper Output	100 sheets	
		Paper Sizes (Standard Cassette)	A4, B5, A5, B6, Letter, Legal	
		Paper Sizes (Multi-Purpose Tray)	A4, B5, A5, B6, Letter, Legal	
		Paper Type	Plain Paper, Heavy Paper, Transparency, Label, Index Card, Envelope	
	SCAN	Scan Resolution	Optical 1200 X 1200 dpi or better	
		Scan speed	Upto 12 ppm (B&W), Upto 5 ppm (Color)	
		Full Scan	Yes; USB & Network	
		Push Scan (Scan to PC)	Yes; USB & Network	
		Scan Features	TWAIN compatible	
		Scan Output	pdf, jpg, tiff etc.	
		Scanning Options	Color, Greyscale, B&W etc.	
	COPY	Copy Speed (Simplex A4)	40 cpm or more	
		First Copy Out Time	10 seconds or less	
		Reduce / Enlargement	25% - 400%	
	CONNECTIVITY AND SOFTWARE	Standard Interfaces	USB 2.0 High Speed, 10/100 Base T Ethernet Network, Phone Line Port	
		Network Security (Wired)	IP / MAC Address Filtering	
		Compatible OS	Ubuntu / Windows (32 & 64 bit both)	
	GENERAL SPECIFICATIONS	Memory	512 MB or higher	
		Power Requirements	AC 220-240V, 50/60 Hz	
		Energy Certification	Energy Star (EPA) ver 5.0 /BEE India Star ver. 1	
		Warranty	3 years on site comprehensive warranty	
	<b>ALL THE ABOVE SPECIFICATIONS SHOULD BE READ AS EQUIVALENT OR BETTER</b>			
	<b>Large MFD (Photo Copier)</b>			01
	Print Technology	Laser		
	Type of Machine	Multifunction Machine		
	Type of Printing	Mono		
Cartridge Technology	Separate Drum and Toner			
Platen/Flatbed Size	A3			
Paper Size (Original/Image)	A3/A3			
RAM Size (MB)	Min. 2048 or higher			

SN	Technical Specifications		Qty.
	Hard Disk Capacity (GB)	SSD 8GB (Standard) / HDD 320GB as Standard	
	Minimum Speed per Minute as per ISO/IEC 24734 In A4 Size-Mono	32 or Higher	
	Scanning Feature Availability	Yes	
	Control Panel	9 inch color touch LCD panel	
	Duplexing Feature Availability	Yes	
	Faxing Feature Availability	No	
	Networking Feature Availability	Yes	
	Wi Fi Capability	No	
	Original Document Feeder Type	DADF Or Higher	
	Number of Main Paper Tray	2	
	Each Main Paper Tray Capacity (Number)	500 or Higher	
	Bypass Facility	Yes	
	Yield of the cartridge/Ink Tank/Ink Pack supplied with Machine as per ISO/IEC: 19752/2004(E) for Black (Number of prints)	20000 or Higher	
	Life of Drum in terms of number of Prints in case of Separate Drum and Toner cartridge technology - Black (Number of Prints)	600000 or Higher	
	Machine Life	2000000 Pages	
	Warranty	3 Years	
	Additional Term & Conditions: -	OEM/Bidder should submit in sign bid specific MAF to ensure authenticity of MAF & Proper after Sale/Service & the same MAF will be validated by Respective OEM during the technical evaluation. In case any bidder/reseller unable to provide the same, their bid will be rejected.	

Inverter with Battery			10
Battery Specifications	BATTERY Type	200AH TALL TUBULAR	
	WARRANTY	48 MONTHS	
	Battery Stand	To be provided to properly fit the battery	
Inverter Specifications	Item	Specifications	
	INVERTER Type	SINEWAVE	
	VA and Volt Required	1400va/12V	
	WARRANTY	24 MONTHS	
	SITC	Yes	

Refrigerator			02
Door Type	Single Door		
Energy Efficiency	3 Star		
Features	Vegetable Basket, 2.5L Aqua Space in Door shelf, Aroma lock, Anti-B Technology		
Weight	39.4 Kg		
Refrigerant	R600a		
Dimensions	136.5 X 57.6 X 65.0 cm		

Biometric Attendance Device			02
Finger Print Sensor: STQC and UIDAI certified fingerprint scanner, OS Version: Android 9.0, CPU Model: MTK 8765, CPU Type: Quadcore, 2xCortex A7, CPU: Clock 1.3GHz, RAM/Type: 2 GB, ROM/Type: 16GB, Screen Size: 7-inch, Screen Resolution: 1024x600 sqm, Touch Screen: Capacitive Wi-Fi Mode: 802.11 b/g/n, Wi-Fi Hotspot: YES, Wi-Fi Direct: YES, Lan Port: YES, Bluetooth Support: YES 2.0, GPS: YES, Internal Modem: 4G/VOLTE, Support Bands: UP to 2100MHz, Sim Port: 2x2FF (mini) Audio Headset Output: YES, Headset Microphone: YES, MicroSD/Trans flash: YES, Support for			

*[Signature]*  
**Co-ordinator**  
**RUSA**  
 Mahila Mahavidyalaya, Godda

*[Signature]*  
**Pro-Charge**  
 Mahila Mahavidyalaya Godda

SN	Technical Specifications	Qty.
	Ext devices: PC/KBD/Mouse/Mem (KBD/mouse/mem Key), Charger Port: DC 2.5mm, Sensor: Accelerometer, Camera Front: 5.0 MP Auto Focus, Battery Capacity: Cobalt 6000mAh, Charger Time:10%-80%: 3 hours	

*Jellaw*  
**Pran In-Charge**  
 Mahila Mahavidyalaya Godda

*Ramya*  
**Coordinator**  
**RUSA**  
 Mahila Mahavidyalaya, Godda

**Annexure- A**  
**TENDER CONDITIONS ACCEPTANCE LETTER**  
**(To be given on Company Letter Head)**

Date :.....

To

\_\_\_\_\_

\_\_\_\_\_

**SUB : ACCEPTANCE OF TERMS & CONDITIONS OF TENDER**

Tender Reference No : \_\_\_\_\_

Name of Tender/ Work : \_\_\_\_\_

Dear Sir,

1. I/We have obtained the tender document(s) for the above mentioned "Tender/Work" from the office as per your advertisement in press/website.
2. I/We hereby certify that I/ we have read entire terms and conditions of the documents including all documents like annexure(s), schedule(s), etc.,), which form part of the contract agreement and I/we shall abide hereby the terms/conditions/clauses contained therein.
3. The corrigendum(s) issued from time to time by your department/ organizations too have also been taken into consideration, while submitting this acceptance letter.
4. **I /We hereby unconditionally accept the tender conditions of above mentioned tender document(s)/ corrigendum(s) in its totality/ entirety.**
5. **In case any provisions of this tender are found violated, the college shall have the right to reject this tender/bid including the forfeiture of the full said Earnest Money Deposit absolutely and we shall not have any claim/right against the college.**

Yours Faithfully  
(Signature of the Bidder, with official seal)

  
**Coordinator**  
**RUSA**

Mahila Mahavidyalaya, Godda  
06/06/2024

  
**Pro-In-Charge**  
Page 17 of 22  
Mahila Mahavidyalaya Godda

f

Annexure-B

**BANK GUARANTEE FORM FOR PERFORMANCE SECURITY**

**The Prof-In-Charge**

Mahila Mahavidyalaya, Godda

WHEREAS..... (Name and address of the Supplier)  
(hereinafter called "the Supplier") has undertaken, in pursuance of contract no..... dated  
..... (hereinafter called "the contract") to  
supply.....

AND WHERE AS it has been stipulated by you in the said contract that the Supplier shall furnish you with a bank guarantee by a scheduled nationalized bank recognized by you for the sum specified therein as security for compliance with its obligations in accordance with and due performance of the contract;

AND WHERE AS we have agreed to give the Supplier such a bank guarantee;

NOW THEREFORE we here by affirm that we are guarantors and responsible to you, on behalf of the Supplier, up to a total of.....(amount of the guarantee in words and figures), and we hereby irrevocably and absolutely undertake to pay you immediately, upon your first written demand declaring the Supplier to be in default under the contract and without cavil or argument, any sum or sums within the limits of (amount of guarantee) as aforesaid, without your needing to prove or to show grounds or reasons for your demand or the sum specified therein.

We here by waive the necessity of your demanding the said debt from the Supplier before presenting us with the demand.

We further agree that no change or addition to or other modification of the terms of the contract to be performed there under or of any of the contract documents which may be made between you and the Supplier shall in any way release us from any liability under this guarantee and we hereby waive notice of any such change, addition or modification.

The Bank guarantee shall be interpreted in accordance with the laws of India. The Guarantor Bank represents that this Bank Guarantee has been established in such form and with such content that is fully enforceable in accordance with its terms as against the Guarantor Bank in the manner provided herein.

The Bank Guarantee shall not be affected in any manner by reason of merger, amalgamation, restructuring or any other change in the constitution of the Guarantor Bank or the Supplier. The Bank further undertakes

  
Co-Ordinator  
RUSA

Mahila Mahavidyalaya, Godda  
Mahila Maha

  
Prof-In-Charge  
Mahila Mahavidyalaya Godda

not to revoke this Guarantee during its currency except with the previous express consent of the Buyer in writing.

The Bank declares that it has power to issue this Guarantee and discharge the obligations contemplated herein, the undersigned is duly authorized and has full power to execute this Guarantee for an on behalf of the Bank.

This guarantee shall be valid up to and including the.....day of.....,20.....

.....

(Signature with date of the authorized officer of the Bank)

..... Name and designation of the officer

..... Seal, name & address of the Bank and address of the Branch

  
**Coordinator**  
**RUSA**  
Mahila Mahavidyalaya, Godda

  
**Pro-In-Charge**  
Mahila Mahavidyalaya Godda

**FINANCIAL BID FORMAT  
BILL OF MATERIAL**

S/n	Item Name as per requirement list	Unit of Measurement	Unit Rate (INR) Inclusive of all taxes
1	All in One Desktop PC	Nos	
2	Bench Desk	Nos	
3	Revolving Chair	Nos	
4	Meeting Hall Chair	Nos	
5	Office Table	Nos	
6	Reading Table	Nos	
7	Chair for Principal Chamber, Office & Reading	Nos	
8	Steel Almirah	Nos	
9	Reading Table	Nos	
10	Meeting/Conference Table	Nos	
11	Bookshelf	Nos	
12	Smart Podium	Nos	
13	Smart Board	Nos	
14	All in One Laser Printer	Nos	
15	Large MFD(Photo copier)	Nos	
16	Air Conditioner	Nos	
17	Inverter	Nos	
18	Battery	Nos	
19	Refrigerator	Nos	
20	Biometric Device	Nos	
<b>Grand Total in Figures</b>			

**Grand Total in Words:** \_\_\_\_\_

**Note:**

- A. The Bidder shall quote composite price inclusive of Supply, Installation, Testing, Commissioning, Training & all Taxes for each of the items.
- B. Bidder should quote for all components/ products as asked in the tender. Non-compliance shall result in rejection of tender.
- C. The Bidder shall strictly follow the technical specifications of all the items as per Part-III of the tender document.
- D. If there will be any deviation with the amount mentioned in Figures and Words, the latter one will be considered as final.
- E. The Bidder shall quote composite price inclusive of Supply, Installation, Testing, Commissioning, Training & all Taxes for each of the items.
- F. Bidder should quote for all components/ products as asked in the tender. Non-compliance shall result in rejection of tender.
- G. The Bidder shall strictly follow the technical specifications of all the items as per Part-III of the tender document.
- H. If there will be any deviation with the amount mentioned in Figures and Words, the latter one will be considered as final.

*[Signature]*  
**Co-ordinator**  
**RUSA**

Mahila Mahavidyalaya

*[Signature]*  
**Principal Charge**  
**Mahila Mahavidyalaya Godda**

Signature :

Printed Name & Designation :

Company Seal :

Date :

Bidder's Name & Address :

  
27.12  
Co-ordinator  
RUSA  
Mahila Mahavidyalaya, Godda

  
Product Charge  
Mahila Mahavidyalaya Godda

END OF DOCUMENT

*Ramya*  
20/7/24  
Co-ordinator  
RUSA

Mahila Mahavidyalaya, Godda  
Mahila Mahavidyalaya, Godda

*Devi*  
20/7/24

~~Pro in Charge~~  
Mahila Mahavidyalaya Godda